

Stockshade



Installation Instructions

GB






Figure 1, System Overview and Individual Components

INTRODUCTION***Parts List***

REFERENCE:	QTY	PRODUCT DESCRIPTION
A1	1	Stockshade sheet
B1	4	Bungy loop c/w hook

GB

Items Required by the Installer

Supports (4 No. required) :

- 5cm angle iron or timber posts approximately 2.4-2.7m long
- Or alternative i.e. building, hut etc

Polypropylene rope 5-6mm diameter, length to suit installation.

Key Instructions

CAUTION: Potentially hazardous situation: must be avoided otherwise injuries may result.



ATTENTION: Observe the given instructions otherwise the product or adjacent items may be damaged

NOTE: Helpful comments and information to assist in installation or use of your product

NOTE: Before starting the installation it is advisable to read these instructions completely to help understand the general procedure and options available.

NOTE: Colour versions of the installation instructions can be downloaded from our website:

www.galebreaker.com

INSTALLATION

1. Check the contents of your Stockshade. The screen is supplied with 4 bungy loops with hooks.

Siting the Stockshade

GB

NOTE: There are no rules for siting the shade but it is important to observe the areas that the stock prefer to lie.

2. Fit the bungy loops to the corner straps and attach polypropylene rope to the hook as shown in Figure 2.





Figure 2, Bungy Attachment to Sheet

3. Layout the stockshade sheet on the ground over the area to be shaded.
4. Position the posts so that the direction of pull is in line with the diagonally opposite corner (Figure 3). The maximum overall distance between posts should not exceed 30m although the ropes need not be equal length.



GB

Figure 3, Post Layout

5. Free standing posts should be approximately 2.7m with 75cm in the ground. Angle the posts outwards from the direction of pull (Figure 4).




Figure 4, Post Alignment

6. Tie off the rope to the posts ensuring maximum tension.

7. It is very important for the effectiveness of the shade that final adjustments to the tension are made. Ensure that each corner is firmly and evenly tensioned so that the shade feels like a firm table.

GB



GB



Manufacturer: **GBR Industries Ltd** **Tlf.: +44 (0) 1531 637 900**
 Galebreaker House **Fax: +44 (0) 1531 637 901**
 New Mills Industrial Estate **www.galebreaker.com**
 Ledbury
 Herefordshire UK
 HR8 2SS

Designed and Manufactured in the UK by GBR Industries Ltd.,

Model No: PS/04/09/08

Instruction Ver: 2009/08/UK